	Application No	ation No. Applicant(s)		
Notice of Allowability	10/550,378		VICKERY, ETHAN	
	Examiner		Art Unit	
	Darren W. Ark		3643	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to <u>Telephone Interview on 3/10/2010</u> .				
2. The allowed claim(s) is/are 11 and 12.				
 3. Acknowledgment is made of a claim for foreign priority unanal All b)	e been received. e been received in cuments have been of this communication.	a Application No en received in this n ation to file a reply o	national stage applica	
 THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 				
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) hereto or 2) to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Ir 1 7. ⊠ E		(PTO-413), e <u>20100308</u> .	wance
/Darren W. Ark/ Darren W. Ark Primary Examiner Art Unit: 3643				



Application No.

Application/Control Number: 10/550,378 Page 2

Art Unit: 3643

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mark T. Garrett on Wednesday, March 10, 2010.

The application has been amended as follows:

Claim 11. A method for securing a bait station, comprising the steps of:

providing a plastic bait station comprising a lid and a base, the base and lid defining an interior when the lid is closed, and the base having a sidewall with a doorway that leads to the interior, the base also having a closed bottom in which one or more openings are positioned;

providing a receptacle configured to hold weighted material, the receptacle having one or more protrusions respectively configured to extend through the one or more openings in the bottom of the base of the plastic bait station, and the receptacle also having an opening;

placing pre-formed weighted material in the receptacle through the opening of the receptacle;

placing bait designed to kill rodents in the plastic bait station; and

Application/Control Number: 10/550,378 Page 3

Art Unit: 3643

securing the plastic bait station to the receptacle, the securing including causing the one or more protrusions of the receptacle to extend through the one or more openings in the bottom of the base of the plastic bait station.

2. The following is an examiner's statement of reasons for allowance: the prior art of record does not disclose a method for securing a bait station, comprising the steps of providing a receptacle having an opening; placing pre-formed weighted material in the receptacle through the opening of the receptacle; and placing bait designed to kill rodents in the plastic bait station.

Art Unit: 3643

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Darren W. Ark whose telephone number is (571) 272-6885. The examiner can normally be reached on M-F, 8:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter M. Poon can be reached on (571) 272-6891. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Darren W. Ark/ Darren W. Ark Primary Examiner Art Unit 3643